

Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

MATERIAL SAFETY DATA SHEET

1. Product name and Company identification

Product Name	:	EASTTO READY COOL
Product Use	:	Radiator Coolant
Supplier	:	Eastern Petroleum Pvt. Ltd 235-239, Jaw ahar industrial Estate, Kamothe, Panvel, Dist- Raigad, Maharashtra: 410209
Telephone No.	:	91-22-2743 1694, 91-22-2743 3819.
Email	:	sales@easternpetroleum.in

2. Composition / Information of Ingredients

	Ingredient name	CAS Number	% by wt	
	Mono ethylene glycol Multif unctional additive Water	107-21-1 Mixture 	30 - 50 3 - 5 47 -65	
3.	Hazards identification	Non dangerous substance		
	Physical state	Liquid		
	Human Health Effects			
	Eyes	Not expected to cause Eyes irritation		
	Skin	Not expected to cause skin irritation		
	Inhalation	Not expected to cause any side effect w hile inhalation		
4.	First Aid Measures			
	Inhalation	If inhaled, remove to fresh air. Get medical	attention if symptoms occur.	
	Skin contact	Immediately wash affected area with soap and water. Remove con clothing and shoes. Get medical attentions if a symptom occurs.		
	Eye contacts	In case of contact immediately wash eyes	,	
	Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If potentially dangerous quantities of this material have been sw allow ed, call a physician immediately. Get medical attention if symptoms occur.		
5.	Fire-fighting Measures			
	Flam m ability of product	Non combustible liquid		
	Extinguishing Media Suitable Not suitable	Use dry chemical, carbon dioxide (CO_2), or Do not use w ater.	foam	
6.	Accidental Release Measu	res		
	Personal precautions	Wear suitable protection clothing and equip	ment. Remove contaminated clothes	
	Environmental precautions	as soon as possible. Prevent from spreading or entering into dr earth or other appropriate barriers. Infor prevented. Pick up free liquid for recycling	rm local authorities if this cannot be	
	Clean up method- small spillag	pe Dilute with water and absorb with an appropriate waste disposal container	inert dry material and place in an	
	EASTTO READY COOL		Date of issue: 08.09.2014	

Revision No. 3

Date of issue: 08.09.2014 Date of revision: 26.08.2016



Eastern Petroleum Pvt. Ltd.

an ISO 9001-2008 certified company Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

Clean up methods – large spillage Absorb with an inert material and put the spilled material in an appropriate w aste disposal. Dispose of in accordance with regional regulations.

7. Handling and Storage			
	Handling	Handle in accordance with good industrial hygiene and safety practices. If handled at elevated temperatures or with high speed mechanical equipment, vapours or mists might be released and require a well ventilated workplace.	
	Storage	Store at ambient temperature or with low est necessary heating as required for ease of handling.	
8. Exposure Controls / Personal Protection		I Protection	
	Control parameters	Exposure via air and normal handling	
•	Personal protection equipment		
	Respiratory protection Hand protection Eye protection Skin and body protection Hygienic measures	Avoid inhalation use suitable mask w ith filter if necessary. Wear protective gloves if there is a risk of skin contact. For eyes protection w earsafety goggles. Use protective cloths and gloves. Act in accordance with good industrial Hygiene and safety practice.	

9. Physical and Chemical Properties

CHARCTERISTICS	EASTTO READY COOL
Physical state	Liquid
Odour	Mild
Sp.gravity	1.02
Colour	Bluish green
Solubility in water	soluble
pH	9.2
Flash point °C	N.A

10. Stability and Reactivity

Reactivity and stability	Stable at normal conditions and decompose at higher temperature.		
Conditions to avoid	Excessive heating and highly oxidizing agents		
Hazardous decomposition produ	ucts Hazardous decomposition products are not expected to form during normal		
	storage.		
Hazardous polymerization	Polymerization will not occur.		

11. Toxicological Information

Potential chronic health effects Carcinogenicity

No known significant effects or critical hazards.

12. Ecological Information

Environment	effect:	
		Will

Will not have chronic effect on aquatic environment

13. Disposal considerations

Waste disposal procedure:

Place contaminated materials in a disposable container and dispose of in accordance with Local, State environmental regulations and contact local environment and health authorities to get the permission for waste disposal.

14. Transport Information Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)



Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

16. **Other Information**

The information provided in this Safety Data Sheet is correct to the best of our know ledge, information, and belief at the date of its publication. The information given is designed as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a w arranty or quality specification. The information relates only to the specific material designated and may not be valid for such material in combination with any other materials or in any process, unless specified in the text.