

Eastern Petroleum Pvt. Ltd. an ISO 9001-2008 certified company Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Fax: +91 - 22 - 4232 4131, 2524 1895 Email: office@easternpetroleum.in, Web: www.easternpetroleum.in

MATERIAL SAFETY DATA SHEET

1. Product name and Company identification

Product Name	:	EASTTO ULTRA TC OILS SAE 10W, 30, 40, 50 CD
Product Use	:	Automotive engine oil
Supplier	:	Eastern Petroleum Pvt. Ltd 235-239, Jawahar industrial Estate, Kamothe, Panvel, Dist- Raigad, Maharashtra: 410209
Telephone No.	:	91-22-2743 1694, 91-22-2743 3819.
Email	:	sales@easternpetroleum.in

2. **Composition / Information of Ingredients**

	Ingredient name	CAS Number	% by wt
	Mineral base oil Multifunctional additive	64742-65-0 Mixture	88 - 93 7 - 12
3.	Hazards identification	Non dangerous substance	
	Physical state	Liquid	
	Human Health Effects		
	Eyes	Not expected to cause Eyes irritation	
	Skin	Not expected to cause skin irritation	
	Inhalation	Not expected to cause any side effect while in	halation
4.	First Aid Measures		
	Inhalation	If inhaled, remove to fresh air. Get medical att	tention if symptoms occur.
	Skin contact	Immediately wash affected area with soap clothing and shoes. Get medical attentions if a	symptom occurs.
	Eye contacts	In case of contact immediately wash eyes with	
	Ingestion	Do not induce vomiting unless directed to d give anything by mouth to an unconscious quantities of this material have been swallo Get medical attention if symptoms occur.	s person. If potentially dangerous
5.	Fire-fighting Measures		
	Flammability of product	Combustible liquid	
	Extinguishing Media Suitable Not suitable	Use dry chemical, carbon dioxide (CO_2), or for Do not use water.	am
6.	Accidental Release Measu	ires	

Personal precautions	Wear suitable protection clothing and equipment. Remove contaminated clothes as soon as possible.
Environmental precautions	Prevent from spreading or entering into drains, ditches or rivers by using sand, earth or other appropriate barriers. Inform local authorities if this cannot be prevented. Pick up free liquid for recycling or disposal. The residual oil can be transferred to another container.
Clean up method- small spillage	Absorb liquid with sand or earth, sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulation.

EASTTO ULTRA TC OILS SAE 10W, 30, 40, 50 CD Revision No. 3

Date of issue: 09.09.2014 Date of revision: 26.08.2016



Eastern Petroleum Pvt. Ltd.

an ISO 9001-2008 certified company Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Fax: +91 - 22 - 4232 4131, 2524 1895 Email: office@easternpetroleum.in, Web: www.easternpetroleum.in

Clean up methods – large spillage	Prevent from spreading by making a barrier with sand, earth or other
	containment material. Reclaim liquid directly or in an absorbent. Dispose of as for small spills.

7. Handling and Storage

Handling

Storage

Handle in accordance with good industrial hygiene and safety practices. If handled at elevated temperatures or with high speed mechanical equipment, vapours or mists might be released and require a well ventilated workplace. Store at ambient temperature or with lowest necessary heating as required for ease of handling.

8. Exposure Controls / Personal Protection

Control parameters

Exposure via air and normal handling

Personal protection equipment

Respiratory protectionAvoid inhalation use suitable mask with filter if necessary.Hand protectionWear oil-resistant protective gloves if there is a risk of skin contact.Eye protectionFor eyes protection wear safety goggles.Skin and body protectionUse protective cloths and gloves.Hygienic measuresAct in accordance with good industrial Hygiene and safety practice.

9. Physical and Chemical Properties

CHARCTERISTICS	SAE 10W	SAE 30	SAE 40	SAE 50
Physical state	Liquid	Liquid	Liquid	Liquid
Odour	Mild	Mild	Mild	Mild
Kinematic viscosity @ 100 °C, cst	5	11	14	19
Colour	Brown	Brown	Brown	Brown
Solubility in water	Insoluble	Insoluble	Insoluble	Insoluble
рН	N.A	N.A	N.A	N.A
Flash point ^o C	220	220	220	220

10. Stability and Reactivity

	Reactivity and stability Conditions to avoid Hazardous decomposition products Hazardous polymerization	Stable at normal conditions and decompose at higher temperature. Excessive heating and highly oxidizing agents Hazardous decomposition products are not expected to form during normal storage. Polymerization will not occur.
11.	Toxicological Information	
	Potential chronic health effects Carcinogenicity	No known significant effects or critical hazards.
12.	Ecological Information	
	Environment effect:	Will not have chronic effect on aquatic environment
13.	Disposal considerations	
	Waste disposal procedure:	Place contaminated materials in a disposable container and dispose of in accordance with Local, State environmental regulations and contact local environment and health authorities to get the permission for waste disposal.
14.	Transport Information	Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)
15.	Regulatory Information	Not classified as hazardous.



Eastern Petroleum Pvt. Ltd.

an ISO 9001-2008 certified company Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Fax: +91 - 22 - 4232 4131, 2524 1895 Email: office@easternpetroleum.in, Web: www.easternpetroleum.in

16. Other Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material in combination with any other materials or in any process, unless specified in the text.