

Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

# MATERIAL SAFETY DATA SHEET

1. Product name and Company identification

Product Name : EASTTO LITHOX GREASE NLGI 2

Product use : Industrial use

Supplier : Eastern Petroleum Pvt. Ltd

235-239, Jaw ahar industrial estate, kamothe, Panvel,

Dist- Raigad, Maharashtra: 410209

**Telephone No.** : 91-22-2743 1694, 91-22-2743 3819.

Email : sales@easternpetroleum.in

2. Composition / Information of Ingredients

Ingredient name CAS No. % by wt

Mineral Base oil 64742-54-7 82-93Lithium mixed base thickener 1310-66-3 5-15Additives component: Mixture 2-3Anti-w ear, Antirust, Antioxidant

3. Hazards identification

Physical state Semi solid

**Human Health Effects** 

Eyes Not irritating.

Skin Not Irritating

**Inhalation** Risk is not possible under normal conditions of use.

Chemical Hazard Non hazardous

4. First Aid Measures

**Inhalation** Remove the person to fresh air. Get medical attention.

**Skin contact** Wash the affected area repeatedly with soap and water.

Eye contacts In case of contact immediately wash eyes with plenty of water.

Ingestion Small quantity can cause stomach discomforts, nausea and vomiting...

5. Fire-fighting Measures

Flam mability of product Combustion is likely to give rise to a complex mixture of gases and airborne

particulates, including carbon monoxide, oxides of sulphur, lead compounds and

Date of is sue: 11.12.2014

Date of revision: 23.08.2016

unidentified organic and inorganic compounds.

Extinguishing Media Suitable

Suitable Use dry chemical, carbon dioxide (CO<sub>2</sub>), or foam

**Not suitable** Do not use w ater.

6. Accidental Release Measures

Personal precautions Wear suitable protection clothing and equipment. Remove contaminated clothes

as soon as possible.

Environmental precautions Prevent spills to enter and spread to drains, sew ers, w atercourses and soil.

Contact local safety authorities.

**Methods for cleaning up**Contain leaking product with sand, earth or other suitable inert materials.



an ISO 9001-2008 certified company Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990,

Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

7. **Handling and Storage** 

> Handle in accordance with good industrial hygiene and safety practices. If Handling

handled at elevated temperatures or with high speed mechanical equipment, vapors or mists might be released and require a well ventilated workplace.

Store at ambient temperature or with low est necessary heating as required for Storage

ease of handling.

8. **Exposure Controls / Personal Protection** 

> Control parameters Due to the product's semi-solid consistency, generation of mists and dusts is

unlikely to occur.

Personal protection equipment

Respiratory protection

Hand protection Eye protection

Skin and body protection

Hygienic measures

Avoid inhalation use suitable mask with filter if necessary.

Wear grease-resistant protective gloves if there is a risk of skin contact.

For eyes protection wear safety goggles.

Use protective cloths and gloves.

Act in accordance with good industrial Hygiene and safety practice.

#### 9. **Physical and Chemical Properties**

CHARACTERISTICS	EASTTO LITHOX GREASENLGI 2
Physical state	Semi solid
Colour	Dark blue
Odour	Mild
Worked Penetration @ 25°C	265 - 295
Water insoluble	Insoluble
pH	N.A
Drop Point °C	260

## 10. **Stability and Reactivity**

Reactivity and stability Stable at normal conditions and starts to decompose at higher temperature.

Conditions to avoid Excessive heating and highly oxidizing agents

Hazardous decomposition products Hazardous decomposition products are not expected to form.

Hazardous polymerization Polymerization will not occur.

#### 11. **Toxicological Information**

Potential chronic health effects

Carcinogenicity No known significant effects or critical hazards.

### 12. **Ecological Information**

**Environment effect:** 

Material not expected to be harmful to aquatic organisms.

#### 13. Disposal considerations

Waste disposal procedure:

Place contaminated materials in a disposable container and dispose of in accordance with Local, State and Federal environmental regulations. Contact local environment and health authorities to get the permission for waste disposal.

14. **Transport Information** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)

15. **Regulatory Information** Not classified as hazardous.

> **EASTTO LITHOX GREASE NLGI 2** Revision No. 3

Date of issue: 11.12.2014 Date of revision: 23.08.2016



Date of issue: 11.12.2014

Date of revision: 23.08.2016

an ISO 9001-2008 certified company
Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg,
(SionTrombay Road), Chembur, Mumbai - 400 071. MH, India.
Tel.: +91 - 22 - 4232 4121, 2529 9990,
Email: office@easternpetroleum.in, Web:www.easternpetroleum.in
CIN NO:U24100MH1964PTC012931

# 16. Other Information

The information provided in this Safety Data Sheet is correct to the best of our know ledge, information, and belief at the date of its publication. The information given is designed as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material in combination with any other materials or in any process, unless specified in the text.