

Eastern Petroleum Pvt. Ltd.

an ISO 9001-2008 certified company Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

MATERIAL SAFETY DATA SHEET

1. Product name and Company identification

Product Name	:	EASTTO COMPRESSOR OILS 32, 46, 68,100,150, 220, 320
Product Use	:	Industrial Neat Compressor oil
Supplier	:	Eastern Petroleum Pvt. Ltd 235-239, Jawahar industrial Estate, Kamothe, Panvel, Dist- Raigad, Maharashtra: 410209
Telephone No.	:	91-22-2743 1694, 91-22-2743 3819.
Email	:	sales@easternpetroleum.in

2. Composition / Information of Ingredients

	Ingredient name	CAS Number	% by wt 98 - 99 1 - 2	
	Mineral base oil Proprietary additives	64742-65-0 Mixture		
3.	Hazards identification	Non dangerous substance		
	Physical state	Liquid		
	Human Health Effects			
	Eyes	Not expected to cause irritation		
Skin		May cause mild skin irritation if prolonged used.		
	Inhalation	Not expected to cause any side effect while inhalation		

4. First Aid Measures

Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
Skin contact	Immediately wash affected area with soap and water. Remove contaminated
Eye contacts	clothing and shoes. Get medical attentions if a symptom occurs. In case of contact immediately wash eyes with plenty of water.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If potentially dangerous quantities of this material have been swallowed, call a physician immediately. Get medical attention if symptoms occur.
Eire fighting Messure	

5. Fire-fighting Measures

Flammability of product	Combustible liquid		
Extinguishing Media Suitable Not suitable	Use dry chemical, carbon dioxide (CO_2), or foam Do not use water		

6. Accidental Release Measures

Personal precautions	Wear suitable protection clothing and equipment. Remove contaminated clothes as soon as possible.		
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		

EASTTO COMPRESSOR OILS 32, 46, 68,100,150, 220, 320 Revision No. 3 Date of issue: 13.09.2014 Date of revision: 19.08.2016



Eastern Petroleum Pvt. Ltd.

		an ISO 9001-2008 certified company Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India.		
		Tel.: +91 - 22 - 4232 4121, 2529 9990,		
		Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931		
	Clean up method- small spillage	Absorb liquid with sand or earth, sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulation.		
	Clean up methods – large spillage	Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Dispose of as for small spills.		
7.	Handling and Storage			
	Handling	Handle in accordance with good industrial hygiene and safety practices. If handled at elevated temperatures or with high speed mechanical equipment,		
_	Storage	vapors or mists might be released and require a well ventilated workplace. Store at ambient temperature or with lowest necessary heating as required for ease of handling.		
8.	Exposure Controls / Personal Protection			
	Control parameters	Use under well ventilated areas		
	Personal protection equipment			

Respiratory protection Avoid inhalation use suitable mask with filter if necessary. Hand protection Wear oil-resistant protective gloves if there is a risk of skin contact. Eye protection For eyes protection wear safety goggles. Skin and body protection Use protective cloths and gloves. Hygienic measures Act in accordance with good industrial Hygiene and safety practice.

9. **Physical and Chemical Properties**

CHARCTERISTICS	32	46	68	100	150	220	320
Physical state	Liquid						
Odour	Mild						
Specific gravity (gm/ml)	0.87	0.875	0.88	0.88	0.885	0.89	0.89
Kinematic viscosity @ 40 °C, cst	32	46	68	100	150	220	320
Solubility in water	Insoluble						
рН	N.A						
Flash point ⁰ C	190	190	200	200	210	220	220

10. **Stability and Reactivity**

Reactivity and stability	Stable at normal conditions and decomposes at higher temperature.
Conditions to avoid	Excessive heating and highly oxidizing agents
Hazardous decomposition products	Upon Combustion, CO ₂ , CO and oxides of Sulphur and Nitrogen are generated
Hazardous polymerization	Under normal conditions of storage and use, polymerization will not occur.

11. **Toxicological Information**

Potential chronic health effects Carcinogenicity

No known significant effects or critical hazards.

12. **Ecological Information**

Environment effect:

Will not have chronic effect on aquatic environment

13. **Disposal considerations**

Waste disposal procedure:

Place contaminated materials in a disposable container and dispose of in accordance with Local, State environmental regulations and contact local environment and health authorities to get the permission for waste disposal.

14. **Transport Information** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)

EASTTO COMPRESSOR OILS 32, 46, 68,100,150, 220, 320 Revision No. 3



Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

15.	Regulatory Information	Not classified as hazardous		
16.	Other Information	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material in combination with any other materials or in any process, unless specified in the text.		