

Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

# **MATERIAL SAFETY DATA SHEET**

### 1. Product name and Company identification

Product Name	:	EASTTO LOOM OILS 22, 32, 46, 68, 100, 150, 220
Product Use	:	Textile oils
Supplier	:	Eastern Petroleum Pvt. Ltd 235-239, Jaw ahar industrial Estate, Kamothe, Panvel, Dist- Raigad, Maharashtra: 410209
Telephone No.	:	91-22-2743 1694, 91-22-2743 3819.
Email	:	sales@easternpetroleum.in

## 2. Composition / Information of Ingredients

Ingredient name	CAS Number	% by wt	
Mineral base oil Proprietary additives	64742-65-0 Mixture	98 – 99 1 - 2	_
Hazards identification	Non dangerous substance		
Physical state	Liquid		
Human Health Effects			
Eyes	May cause mild irritation only if directly conta	act with eyes.	
Skin	Not expected to cause skin irritation.		
Inhalation	Not expected to cause any side effect w hile	e inhalation.	

### 4. First Aid Measures

3.

Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
Skin contact	Immediately wash affected area with soap and water. Remove contaminated clothing and shoes. Get medical attentions if a symptom occurs.
Eye contacts	In case of contact immediately wash eyes with plenty of water.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If potentially dangerous quantities of this material have been sw allow ed, call a physician immediately. Get medical attention if symptoms occur.

### 5. Fire-fighting Measures

Flam m ability of product	Combustible liquid
Extinguishing Media Suitable Not suitable	Use dry chemical, carbon dioxide ( $CO_2$ ), or foam Do not use w ater

### 6. Accidental Release Measures

<b>Personal precautions</b>	Wear suitable protection clothing and equipment. Remove contaminated clothes as soon as possible.
Environmental precautions	Prevent from spreading or entering into drains, ditches or rivers by using sand, earth or other appropriate barriers. Inform local authorities if this cannot be prevented. Pick up free liquid for recycling or disposal. The residual oil can be transferred to another container.



### Eastern Petroleum Pvt. Ltd.

an ISO 9001-2008 certified company Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

Clean up method- small spillage	Absorb liquid with sand or earth, sweep up and remove to a suitable, clearly
	marked container for disposal in accordance with local regulation.
Clean up methods – large spillage	Prevent from spreading by making a barrier with sand, earth or other
	containment material. Reclaim liquid directly or in an absorbent. Dispose of as for
	small spills.

#### 7. Handling and Storage

Handling	Handle in accordance with good industrial hygiene and safety practices. If handled at elevated temperatures or with high speed mechanical equipment,
Storage	vapors or mists might be released and require a w ell ventilated w orkplace. Store at ambient temperature or w ith low est necessary heating as required for ease of handling.

#### 8. **Exposure Controls / Personal Protection**

Use under w ell ventilated areas
Avoid inhalation use suitable mask with filter if necessary. Wear oil-resistant protective gloves if there is a risk of skin contact.
For eyes protection wear safety goggles. Use protective cloths and gloves.
Act in accordance with good industrial Hygiene and safety practice.

#### 9. **Physical and Chemical Properties**

CHARCTERISTICS	22	32	46	68	100	150	220
Physical state	Liquid						
Odour	Mild						
Kinematic viscosity @ 40 <sup>0</sup> C, cst	22	32	46	68	100	150	220
Solubility in water	Insoluble						
рН	N.A						
Flash point °C	180	190	190	210	220	230	230

#### 10. **Stability and Reactivity**

	Reactivity and stability Conditions to avoid Hazardous decomposition produc	Stable at normal conditions and decompose at higher temperature Excessive heating and highly oxidizing agents cts Hazardous decomposition products are not expected to form during normal storage			
	Hazardous polymerization	Under normal conditions of storage and use, polymerization will not occur			
11.	Toxicological Information				
	Potential chronic health effects Carcinogenicity	No know n significant effects or critical hazards.			
12.	Ecological Information				

**Environment effect:** 

Will not have chronic effect on aquatic environment

### **Disposal considerations** 13.

Waste disposal procedure:

Place contaminated materials in a disposable container and dispose of in accordance with Local, State environmental regulations and contact local environment and health authorities to get the permission for waste disposal.



Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

14.	Transport Information	Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)
15.	Regulatory Information	Not classified as hazardous.
16.	Other Information	The information provided in this Safety Data Sheet is correct to the best of our know ledge, information, and belief at the date of its publication. The information given is designed as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a w arranty or quality specification. The information relates only to the specific material designated and may not be valid for such material in combination w ith any other materials or in any process, unless specified in the text.