

Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

MATERIAL SAFETY DATA SHEET

Product name and Company identification 1.

Product Name	:	EASTTO QUENCH HS 70
Product Use	:	Industrial quenching oil
Supplier	:	Eastern Petroleum Pvt. Ltd 235-239, Jawahar Industrial Estate, Kamothe, Panvel, Dist- Raigad, Maharashtra: 410209
Telephone No.	:	91-22-2743 1694, 91-22-2743 3819.
Email	:	sales@easternpetroleum.in

2. **Composition / Information of Ingredients**

	Ingredient name	CAS Number	% by wt
	Mineral base oil Proprietary additives	64742-65-0 Mixture	95 - 97 3 -5
3.	Hazards identification	Non dangerous substance	
	Physical state	Liquid	
	Human Health Effects		
	Eyes	Not expected to cause irritation	
	Skin	May cause mild skin irritation if prolonged u	sed
	Inhalation	Not expected to cause any side effect while	inhalation
4.	First Aid Measures		
	Inhalation	If inhaled, remove to fresh air. Get medical	attention if symptoms occur.
	Skin contact	2	Immediately wash affected area with soap and water. Remove contaminated clothing and shoes. Get medical attentions if a symptom occurs. In case of contact immediately wash eyes with plenty of water.
	Eye contacts		
	Ingestion	Do not induce vomiting unless directed to give anything by mouth to an unconscio quantities of this material have been swa Get medical attention if symptoms occur.	ous person. If potentially dangerous
5.	Fire-fighting Measures		
	Flammability of product	Combustible liquid	
	Extinguishing Media Suitable Not suitable	Use dry chemical, carbon dioxide (CO_2) , or Do not use water.	foam
6.	Accidental Release Measu	res	
	Personal precautions	Wear suitable protection clothing and equip	ment. Remove contaminated clothes
	Environmental precautions	as soon as possible. Avoid dispersal of spilled material and run drains and sewers. Inform the relevant a environmental pollution (sewers, waterways	uthorities if the product has caused
	Clean up method- small spillage	Absorb liquid with sand or earth, sweep marked container for disposal in accordance	
	FASTTO QUENCH HS 70		Date of issue: 12 11 2014

EASTTO QUENCH HS 70 Revision No. 3



Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

	Clean up methods – large spillage	Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Dispose of as for small spills.	
7. Handling and Storage			
	Handling	Handle in accordance with good industrial hygiene and safety practices. If handled at elevated temperatures or with high speed mechanical equipment, vapors or mists might be released and require a well ventilated workplace.	
	Storage	Store at ambient temperature or with lowest necessary heating as required for ease of handling.	
8.	Exposure Controls / Personal Protection		
	Control parameters	Use under well ventilated areas	
	Personal protection equipment		
	Respiratory protection Hand protection Eye protection Skin and body protection Hygienic measures	Avoid inhalation use suitable mask with filter if necessary. Wear oil-resistant protective gloves if there is a risk of skin contact. For eyes protection wear safety goggles. Use protective cloths and gloves. Act in accordance with good industrial Hygiene and safety practice.	

9. **Physical and Chemical Properties**

CHARCTERISTICS	EASTTO QUENCH HS 70
Physical state	Liquid
Odour	Mild
Colour	Yellow
Sp. Gravity @ 30 °C gm/ml	0.84
Kinematic viscosity @ 40 °C, cst	15
Solubility in water	Insoluble
pН	N.A
Flash point ⁰ C	170

10. **Stability and Reactivity**

	Reactivity and stability Conditions to avoid Hazardous decomposition products Hazardous polymerization	Stable at normal conditions and decomposes at higher temperature Excessive heating and highly oxidizing agents Upon Combustion, CO ₂ , CO and oxides of Sulphur and Nitrogen are generated polymerization will not occur
11.	Toxicological Information	
	Potential chronic health effects Carcinogenicity	No known significant effects or critical hazards.
12.	Ecological Information	
	Environment effect:	Will not have chronic effect on aquatic environment
13.	Disposal considerations	
	Waste disposal procedure:	Place contaminated materials in a disposable container and dispose of in accordance with Local, State environmental regulations and contact local environment and health authorities to get the permission for waste disposal.
14.	Transport Information	Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)
15.	Regulatory Information	Not classified as hazardous



Eastern Petroleum Pvt. Ltd.

an ISO 9001-2008 certified company Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

16. Other Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material in combination with any other materials or in any process, unless specified in the text.